

1 2 3 4 5 6 7 8

Rev No.	Description	Date	Name


Focusing adjustment system

Locking screw

$\varnothing 75 \text{ h8 } -0,046$
Clamping diameter

$\varnothing 75 \text{ h8 } -0,046$
Clamping diameter

6,56
Flange distance



155,7

136,7

75,7

56,7

0

3,8

242,28

NOMINAL WORKING DISTANCE
110 mm $\pm 3\%$

Material N.A.

Surface treatment N.A.

Geometrical tolerance (ISO 2768-2)								Class	K	Undimensioned bevels	0,5x45°
Linear tolerance (ISO 2768-2)								Class	m		
0,5 ± 3	>3 ± 6	>6 ± 30	>30 ± 120	>120 ± 400	>400 ± 1000	>1000 ± 2000	>2000 ± 4000			Undimensioned radii	R 0,5
$\pm 0,1$	$\pm 0,1$	$\pm 0,2$	$\pm 0,3$	$\pm 0,5$	$\pm 0,8$	$\pm 1,2$	± 2				

Mass 1309 g Scale 1:1

Part No. CO21281

Description
MC12K150X-R



	Date	Name
Designed	18/06/2014	Santini
Drawn	23/09/2014	Rodella
Checked		

Drawing No. DP 21281 -A Sheet 1/1

OPTO ENGINEERING S.r.l. - Mantova Italy - Tel. +39 0376 699111 - www.opto-engineering.com

Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.r.l. - Any violation shall be legally prosecuted.

1 2 3 0 1 2 3 4 5 6 7 8 9 10 6 7 8

0 1 2 3 4 5 6 7 8 9 10